




CAN Connection


Order Name	Length	Short Name	Order Number
CAN, LIN, and FlexRay Interface Cable (ES511)			

CAN, LIN, and FlexRay Interface Cable, DSUB – DSUB (9fc - 9mc + 9fc), 2m	2.00 m 6.56 ft	CBH500-2	F-00K-106-276
---	-------------------	----------	---------------



CAN, LIN, and FlexRay Interface Cable (ES523, ES592, ES593-D, ES595, ES89x)			
---	--	--	--

CAN, and LIN Interface Y-Cable, Lemo 1B FGC - 2xDSUB (8mc-9fc+ 9mc), 2 m	2.00 m 6.56 ft	CBCFI100.1-2	F-00K-106-893
---	-------------------	--------------	---------------



CAN and FlexRay Interface Cable (ES58x)			
---	--	--	--


CAN and FlexRay Interface Y-Cable, DSUB - 2 x DSUB (9fc-9mc+9mc), 0m3	0.30 m 0.98 ft	CBCFI100.1-0m3	F-00K-107-939
--	-------------------	----------------	---------------

CAN Interface Cable (ES523, ES59x, ES89x, ES910, ES921, ES1222-A)


Cable connects ETAS hardware through a DSUB connector to the CAN bus.

With the modules ES523, ES592, ES593-D, ES595 and ES89x can be used only one channel per connector.

CAN Interface Cable, Lemo 1B FGC - 2xDSUB (8mc-9fc+9mc), 2 m	2.00 m 6.56 ft	K106	F-00K-001-271
---	-------------------	------	---------------




CAN Interface Cable, Lemo 1B FGC - Banana (8mc - 2mc), 1m5	1.50 m 4.92 ft	CBAC160,1-1m5	F-00K-106-116
---	-------------------	---------------	---------------




Cable connects ETAS hardware through a Lemo connector or socket to the CAN bus.

CAN Interface Y-Cable, Lemo 1B FGC - Lemo 0S PCA - LEMO 0S FFA (8mc- 2fc+2mc) , 2 m	2.00 m 6.56 ft	K107	F-00K-001-272
---	-------------------	------	---------------

**CAN Interface Cable (ES523, ES59x, ES89x, ES910, ES921, ES1222-A)**


Interface cable for connection of ETAS hardware to CARB connector of a vehicle.

CAN Interface Cable, OBDII J1962 - Lemo 1B FGC (16mc-8mc), 2.5 m	2.50 m 8.20 ft	CBAC150-2m5	F-00K-104-159
---	-------------------	-------------	---------------




CAN Interface Cable (ES511, ES580, ES581, ES582)

CAN Interface Cable, OBDII J1962 – DSUB (16mc-9fc), 2m	2.00 m 6.56 ft	CBAC180.0-2	F-00K-107-300
---	-------------------	-------------	---------------




CAN Interface Cable, DSUB – DSUB (9fc-9mc), 2 m	2.00 m 6.56 ft	CBCX130-2	F-00K-103-784
---	-------------------	-----------	---------------



CAN Adapter Cable to ECU (ES511, ES580, ES581, ES582). Connector to ES523, ES59x, ES89x, ES910, ES921, and ES1222-A modules via K106 or CBCFI100

Used to connect to MED17/EDC17 ECU through a DSUB connector to the CAN bus.

CAN ECU Adapter Cable, DSUB - Lemo 2B FGG (9fc-10mc), 3 m	3.00 m 9.84 ft	CBAC140.1-3	F-00K-103-783
--	-------------------	-------------	---------------



CAN Interface Cable, DSUB – Lemo 0S FFA (9fc-2mc), 3 m	3.00 m 9.84 ft	CBAC130-3	F-00K-103-780
---	-------------------	-----------	---------------


CAN 120 Ω Termination Resistor (ES580, ES581, ES582)

Connector to ES523, ES59x, ES89x, ES910, ES921, and ES1222-A modules via K106 or CBCFI100

CAN 120 Ω Termination Resistor, 2xDSUB
(9fc+9mc)

CBCX131,1-0

F-00K-103-786



Custom cables can be produced according to your specifications. For more information on custom cables, please contact your local ETAS sales representative.

